

SAFETY DATA SHEET

Issue Date: 10/15/2016

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 Product NameCoated Abrasive Belts

1.2 Product Use For grinding and sanding of different kinds of materials. (Abrasives breakdown during use. OSHA

classifies this as inert or nuisance dust.)

1.3 Manufacturer or Supplier Details

Company ARC Abrasives, Inc.

Address 2131 Corporate Drive, Troy OH 45373

 Telephone
 (937) 335-5607

 Fax
 (937) 339-4969

 Web
 www.arcabrasives.com

SECTION 2 - HAZARDS IDENTIFICATION

2.1 Classification Not classified as hazardous according to OSHA Hazard communication Standard 29 CFR

1910.1200.

Products vary in composition and are comprised of only some of the ingredients listed below

2.2 Hazards to HumansN/A2.3 Hazards to the EnvironmentN/A2.4 Physical or Chemical HazardsN/A

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Concentration	CAS No.
Aluminum Oxide	0-52	1344-28-1
Silicon Carbide	0-50	409-21-2
Limestone	0-25	1317-65-3
Garnet	0-30	12178-41-5
Zirconium Oxide	0-30	1314-23-4
Alumina Zirconia	0-30	68995-26-0
Zirconium Alumina	0-20	7440-67-7
Kaolin Clay	0-15	1332-58-7
Calcium Stearate	0-10	1592-23-0
Zinc Sulfate	0-10	557-05-1
Calcium Sulfate	0-5	7778-18-9
Potassium Fluorobonate	0-5	14075-53-7
Meg	0-5	107-21-1
Quartz Silica	.01025	14808-60-7
Iron Oxide	0-5	1309-37-1
Cryolite	0-10	N/A
Fluoride	0-15	N/A
Cured Resin*	0-40	N/A
Adhesive*	0-40	N/A
Filler*	0-15	N/A
Nylon tape	0-15	N/A
Wax	0-30	N/A
Paper Backing	0-60	N/A

^(*) Denotes mixture. The specific identity and/or exact concentration of any ingredient is withheld as a trade secret.

SECTION 4 - FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation Remove to fresh air. Apply artificial respiration if necessary. Obtain medical assistance if needed.

Ingestion If sanding dust is swallowed, seek medical attention.

Eye Contact Skin ContactFlush eyes thouroughly with water. Seek medical assistance if irritation persists.

No adverse effects by contact are known. Wash dust from skin with soap and water.

4.2 Most important symptoms and effects, both acute and delayed

 $\label{lem:constraint} \mbox{Fibers/dust can cause eye and respiratory irritation. For additional respiratory information, see}$

section 11.5

4.3 Indication of any immediate medical attention and special treatment

Not relevant. Treat symptomatically.

needed

SECTION 5 - FIRE FIGHTING METHODS

5.1 Suitable extinguishable media Product is non-combustable. Use a firefighting agent such as water or foam, according to your

environment

5.2 Special hazards arising from

substance or mixture

There are no inherent hazards associated with this product.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

6.1 Personal precautionsUse appropriate PPE when using this product.

6.2 Environmental precautions Avoid release into the environment.

6.3 Methods for containment or cleanup Clean up and dispose of with normal clean up procedures.

SECTION 7 - HANDLING AND STORAGE

7.1 Handling Provide adequate ventilation. Avoid generation of dust. Avoid breathing the dust. Wear appropriate

protective equipment. Refer to OSHA's substance specific standards for additional work practice

requirements.

7.2 Storage Store in a dry location.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Occupational expos	ure I	ımıts
------------------------	-------	-------

"Component"	OSHA PEL	ACGIH TLV
Aluminum Oxide	15mg/m ³	10mg/m ³
Silicon Carbide	15mg/m ³	10mg/m ³
Limestone	15mg/m ³	10mg/m ³
Garnet	None established	None established
Zirconium Oxide	5mg/m ³	3mg/m ³
Alumina Zirconia	15mg/m ³	10mg/m ³
Zirconium Alumina	15mg/m ³	10mg/m ³
Kaolin Clay	15mg/m ³	10mg/m ³
Calcium Stearate	None established	None established
Zinc Sulfate	10mg/m ³	5mg/m ³
Calcium Sulfate	15mg/m ³	10mg/m ³
Potassium Fluorobonate	2.5mg/m ³	2.5mg/m ³
Meg	None established	None established
Quartz Silica	0.050mg/m ³	0.025mg/m ³
Iron Oxide	15mg/m ³	5mg/m ³
Cryolite	2mg/m ³	2.5mg/m ³
Fluoride	None established	None established
Cured Resin	None established	None established
Cured Adhesive	None established	None established
Filler	None established	None established
Nylon tape	None established	None established
Wax	None established	None established

8.2 Personal protection requirements and

referrals

Respiratory protection As needed, use approved dust respiratory OSHA CRF 1910.134. Refer to Section 11.5 for

additional respiratory/carcinogenetic information.

Hand protection Wear appropriate gloves to minimize risk of injury to skin from contact with dust, or physical

abrasion from grinding or sanding.

Eye protection Ref. OSHA 29 CRF 1910.133 (Face and Eye Protection). **Hearing protection** As needed, Ref. OSHA 29 CRF 1910.125 (Hearing Protection).

Body protection As needed.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

9.1 Appearance

Form Solid Color Varies

Odor No data available Odor threshold No data available pH value No data available Melting/freezing point No data available Initial boiling point No data available Flash point/range No data available **Evaporation rate** No data available **Flammability** No data available No data available **Explosion limits** Vapor pressure No data available Vapor density No data available Density No data available Solubility No data available Partition coefficient: n-octonal No data available

water

Auto-ignition temperatureNo data availableThermal decompositionNo data availableAdditional informationNo data available

SECTION 10 - STABILITY AND REACTIVITY

10.1 Reactivity This product is not considered to be reactive under normal conditions.

10.2 Chemical stabilityStable.10.3 Possibility of hazardous reactionNot known.10.4 Conditions to avoidNot known.10.5 Incombatible materialsNot known.10.6 Hazardous decompositions/productsNot known.

Under normal usage, hazardous decomposition of products are not expected.

	SECTION 11	- TOXILOG	ICAL INFORMATION			
11.1 Inhalation	Dust from grinding, sanding, or machining may cause irritation of the respitory system. Signs or symptoms include cough, sneezzing, nasal discharge, headache, hoarseness, nose pain, and throat pain.					
11.2 Eye contact	Corneal abrasion, pain, redness, and tearing may be signs or symptoms from mechanical eye					
•	irritation. Dust	created by gr	inding, sanding, or machining	g can also cause eye irritation.		
11.3 Skin contact	Mechanical sl	kin irritation. Si	gns or symptoms include ab	rasion, redness, pain, and itching.		
11.4 Ingestion	No known health effects.					
11.5 Carcinogenicity	Ingredient	C.A.S. #	Class Description	Regulation		
	Quartz Silica	14808-60-7	Grp. 1: Carcinogenic to	International Agency for Research on		
	Quartz Silica	14808-60-7	humans Known human carcinogen	Cancer National Toxicology Program Carcinoge		
	·		·			
	Additional Information: This SDS is only covering ARC Abrasives products. For complete					
	assessment, you must consider the material being abraded when determining the degree of hazard					
				ect and use appropriate respirators to		
	•	ition overexpo				
	•		•	tional exposure to inhaled crystalline silica		
	has been associated with silicosis and lung cancer. During normal handling and use of this produc					
	exposure to crystalline silica is not expected.					
	SECTION 12	2 - ECOLOG	ICAL INFORMATION			
12.1 Ecological information	It is not expec	ot expected that this product is hazardous to the environment. Ecotoxicity data is not available				
	for this product.					
	SECTION 13 - DISPOSAL CONSIDERATIONS					
13.1 Waste disposal method	Dispose of in accordance with all applicable local, state, and federal regulations. It is the responibility of the waste generator to determine the toxicity and physical characteristics of the material to determine the proper waste identification and disposal in compliance with applicable regulations.					
	SECTION 1	4 - TRANSP	ORT INFORMATION			
14.1 Transportation information	This product is not regulated per the U.S. DOT, IATA, TDG,or IMO.					
	SECTION 15	- REGULAT	ORY INFORMATION			
15.1 Hazard categories	None					
15.2 Safety, health and environmental regulations for the substance	This product is and article as defined by TSCA (EPA US) regulations, and is exempt from TSCA inventory listing requirements.					
	SECTIO	N 16 - OTHE	R INFORMATION			
16.1 Disclaimer/Statement of Liability	The information	on provided in	this Safety Data Sheet (SDS) is believed to be correct as of the date		
·	issued. This information, and the recommendations regarding the application and end use of this					
	product, are given in good faith based on current knowledge and test data. ARC ABRASIVES					
	makes no warranty with the respect to the accuracy of this information of the suitability of these					
	recommendations, and assumes no liability to any user thereof. It is the users responsibility to					
	determine if this product is fit for a particular purpose, and suitable for the user's method of use					
16.2 Data arouted	and/or applica	ition.				
16.2 Date created	10/15/2016 3					

8/21/2018

16.2 Date created 16.3 Revision number 16.4 Revision date