

SAFETY DATA SHEET

Issue Date: 10/15/2016

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 Product Name Unitized- Type 27 Wheel; Quick Lok; with hole

1.2 Product Use For grinding and sanding of different kinds of materials. (Abrasives breakdown during use. OSHA

classifies this as inert or nuisance dust.)

1.3 Manufacturer or Supplier Details

Company ARC Abrasives, Inc.

Address 2131 Corporate Drive, Troy OH 45373

 Telephone
 (937) 335-5607

 Fax
 (937) 339-4969

 Web
 www.arcabrasives.com

SECTION 2 - HAZARDS IDENTIFICATION

2.1 Classification Not classified as hazardous according to OSHA Hazard Communication Standard 29 CFR

1910.1200.

2.2 Hazards to HumansN/A2.3 Hazards to the EnvironmentN/A2.4 Physical or Chemical HazardsN/A

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Products vary in composition and are comprised of only some of the ingredients listed below

Chemical Name	Concentration	CAS No.
Quartz Silica	.01025	14808-60-7
Silicon Carbide	0-50	409-21-2
Lubricant	0-5	N/A
Plastic Button	0-5	N/A
Nylon Fiber	0-15	N/A
Fiberglass Backing Plate	0-20	N/A
Cured Resin*	0-40	N/A

(*) Denotes mixture. The specific identity and/or exact concentration of any ingredient is withheld as a trade secret.



This product may contain a chemical known to the state of California to cause cancer and reproductive harm. For more information, go to www.P65Warnings.ca.gov

SECTION 4 - FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation Remove to fresh air. Apply artificial respiration if necessary. Obtain medical assistance if needed.

Ingestion If sanding dust is swallowed, seek medical attention.

Eye Contact Flush eyes thoroughly with water. Seek medical assistance if irritation persists. **Skin Contact** No adverse effects by contact are known. Wash dust from skin with soap and water.

4.2 Most important symptoms and Fibers/dust can cause eye and respiratory irritation. For additional respiratory information, see

effects, both acute and delayed section 11.5.

4.3 Indication of any immediate medical

attention and special treatment needed

Treat symptomatically.

SECTION 5 - FIRE FIGHTING METHODS

5.1 Suitable extinguishable media Product is non-combustible. Use a firefighting agent such as water or foam, according to your

environment.

5.2 Special hazards arising from substance or mixture

There are no inherent hazards associated with this product.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

6.1 Personal precautionsUse appropriate PPE when using this product.

6.2 Environmental precautions Avoid release into the environment.

6.3 Methods for containment or cleanup Clean up and dispose of with normal clean up procedures.

SECTION 7 - HANDLING AND STORAGE

7.1 Handling Provide adequate ventilation. Avoid generation of dust. Avoid breathing the dust. Wear appropriate

protective equipment. Refer to OSHA's substance specific standards for additional work practice

requirements.

7.2 Storage Store in a dry location.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Occupational exposure limits

"Component"	OSHA PEL	ACGIH TLV
Quartz Silica	0.050mg/m ³	0.025mg/m ³
Silicon Carbide	15mg/m ³	5mg/m ³
Lubricant	None established	None established
Plastic Button	None established	None established
Nylon fiber	None established	None established
Fiberglass Backing Plate	None established	None established
Cured Resin	None established	None established

8.2 Personal protection requirements and

referrals

Respiratory protection As needed, use approved dust respiratory OSHA CRF 1910.134. Refer to Section 11.5 for

additional respiratory/carcinogenetic information.

Hand protection Wear appropriate gloves to minimize risk of injury to skin from contact with dust, or physical

abrasion from grinding or sanding.

Eye protection Ref. OSHA 29 CRF 1910.133 (Face and Eye Protection). **Hearing protection** As needed, Ref. OSHA 29 CRF 1910.125 (Hearing Protection).

Body protection As needed.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

9.1 Appearance

Form Solid Color Varies

Odor No data available Odor threshold No data available pH value No data available Melting/freezing point No data available Initial boiling point No data available No data available Flash point/range **Evaporation rate** No data available **Flammability** No data available **Explosion limits** No data available

Vapor pressureNo data availableVapor densityNo data availableDensityNo data availableSolubilityNo data availablePartition coefficient: n-octanolNo data available

water

Auto-ignition temperatureNo data availableThermal decompositionNo data availableAdditional informationNo data available

SECTION 10 - STABILITY AND REACTIVITY

10.1 ReactivityThis product is not considered to be reactive under normal conditions.

10.2 Chemical stabilityStable.10.3 Possibility of hazardous reactionNot known.10.4 Conditions to avoidNot known.10.5 Incompatible materialsNot known.10.6 Hazardous decompositions/productsNot known.

Under normal usage, hazardous decomposition of products are not expected.

SECTION 11 - TOXILOGICAL INFORMATION

11.1 Inhalation Dust from o

11.2 Eye contact

11.3 Skin contact 11.4 Ingestion

11.5 Carcinogenicity

Dust from grinding, sanding, or machining may cause irritation of the respiratory system. Signs or symptoms include cough, sneezing, nasal discharge, headache, hoarseness, nose pain, and throat pain.

Corneal abrasion, pain, redness, and tearing may be signs or symptoms from mechanical eye irritation. Dust created by grinding, sanding, or machining can also cause eye irritation. Mechanical skin irritation. Signs or symptoms include abrasion, redness, pain, and itching. No known health effects.

Ingredient	C.A.S. #	Class Description	Regulation
Quartz Silica	14808-60-7	Grp. 1: Carcinogenic to	International Agency for Research on
		humans	Cancer
Quartz Silica	14808-60-7	Known human carcinogen	National Toxicology Program Carcinogens

Additional Information: This SDS is only covering ARC Abrasives products. For complete assessment, you must consider the material being abraded when determining the degree of hazard to decide if there is a need for respiratory protection. Select and use appropriate respirators to prevent inhalation overexposure.

This product contains a form of crystalline silica. Occupational exposure to inhaled crystalline silica has been associated with silicosis and lung cancer. During normal handling and use of this product, exposure to crystalline silica is not expected.

SECTION 12 - ECOLOGICAL INFORMATION

12.1 Ecological information

It is not expected that this product is hazardous to the environment. Eco toxicity data is not available for this product.

SECTION 13 - DISPOSAL CONSIDERATIONS

13.1 Waste disposal method

Dispose of in accordance with all applicable local, state, and federal regulations. It is the responsibility of the waste generator to determine the toxicity and physical characteristics of the material to determine the proper waste identification and disposal in compliance with applicable regulations.

	ORT INFORMATION

14.1 Transportation information

This product is not regulated per the U.S. DOT, IATA, TDG,or IMO.

	SECTION 15 - REGULATORY INFORMATION	
15.1 Hazard categories 15.2 Safety, health and environmental regulations for the substance	None This product is and article as defined by TSCA (EPA US) regulations, and is exempt from TSCA inventory listing requirements.	
SECTION 16 - OTHER INFORMATION		
16.1 Disclaimer/Statement of Liability	The information provided in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. This information, and the recommendations regarding the application and end use of this product, are given in good faith based on current knowledge and test data. ARC ABRASIVES makes no warranty with the respect to the accuracy of this information of the suitability of these recommendations, and assumes no liability to any user thereof. It is the users responsibility to determine if this product is fit for a particular purpose, and suitable for the user's method of use and/or application.	
16.2 Date created 16.3 Revision number 16.4 Revision date	10/15/2016 3 8/21/2018	