



## SAFETY DATA SHEET

Issue Date: 10/15/2016

### SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

<b>1.1 Product Name</b>	Discs - Coated & Nonwoven, PSA, Stripping, Cleaning & Finishing, Hook & Loop, Plain
<b>1.2 Product Use</b>	For grinding and sanding of different kinds of materials. (Abrasives breakdown during use. OSHA classifies this as inert or nuisance dust.)
<b>1.3 Manufacturer or Supplier Details</b>	
<b>Company</b>	ARC Abrasives, Inc.
<b>Address</b>	2131 Corporate Drive, Troy OH 45373
<b>Telephone</b>	(937) 335-5607
<b>Fax</b>	(937) 339-4969
<b>Web</b>	www.arcabrasives.com

### SECTION 2 - HAZARDS IDENTIFICATION

<b>2.1 Classification</b>	Not classified as hazardous according to OSHA Hazard communication Standard 29 CFR 1910.1200.
<b>2.2 Hazards to Humans</b>	N/A
<b>2.3 Hazards to the Environment</b>	N/A
<b>2.4 Physical or Chemical Hazards</b>	N/A

### SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Products vary in composition and are comprised of only some of the ingredients listed below

<b>Chemical Name</b>	<b>Concentration</b>	<b>CAS No.</b>
Aluminum Oxide	0-52	1344-28-1
Silicon Carbide	0-50	409-21-2
Limestone	0-25	1317-65-3
Garnet	0-30	12178-41-5
Zirconium Oxide	0-30	1314-23-4
Alumina Zirconia	0-30	68995-26-0
Barium Sulfate	0-50	7727-43-7
Zirconium Alumina	0-20	7440-67-7
Kaolin Clay	0-15	1332-58-7
Calcium Stearate	0-10	1592-23-0
Zinc Sulfate	0-10	557-05-1
Calcium Sulfate	0-5	7778-18-9
Potassium Fluoroborate	0-5	14075-53-7
Meg	0-5	107-21-1
Quartz Silica	.01-.025	14808-60-7
Sodium Aluminum	0-9	13775-53-6
Iron Oxide	0-5	1317-61-9
Iron Oxide	0-5	1309-37-1
Cryolite	0-10	N/A
Fluoride	0-15	N/A
Cured Resin*	0-40	N/A
Adhesive*	0-40	N/A
Filler*	0-15	N/A
Wax	0-30	N/A
Paper Backing	0-60	N/A

(\*) Denotes mixture. The specific identity and/or exact concentration of any ingredient is withheld as a trade secret.



This product may contain a chemical known to the state of California to cause cancer and reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## SECTION 4 - FIRST AID MEASURES

<b>4.1 Description of first aid measures</b>	
<b>Inhalation</b>	Remove to fresh air. Apply artificial respiration if necessary. Obtain medical assistance if needed.
<b>Ingestion</b>	If sanding dust is swallowed, seek medical attention.
<b>Eye Contact</b>	Flush eyes thoroughly with water. Seek medical assistance if irritation persists.
<b>Skin Contact</b>	No adverse effects by contact are known. Wash dust from skin with soap and water.
<b>4.2 Most important symptoms and effects, both acute and delayed</b>	Fibers/dust can cause eye and respiratory irritation. For additional respiratory information, see section 11.5.
<b>4.3 Indication of any immediate medical attention and special treatment needed</b>	Not relevant. Treat symptomatically.

## SECTION 5 - FIRE FIGHTING METHODS

<b>5.1 Suitable extinguishable media</b>	Product is non-combustable. Use a firefighting agent such as water or foam, according to your environment.
<b>5.2 Special hazards arising from substance or mixture</b>	There are no inherent hazards associated with this product.

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

<b>6.1 Personal precautions</b>	Use appropriate PPE when using this product.
<b>6.2 Environmental precautions</b>	Avoid release into the environment.
<b>6.3 Methods for containment or cleanup</b>	Clean up and dispose of with normal clean up procedures.

## SECTION 7 - HANDLING AND STORAGE

<b>7.1 Handling</b>	Provide adequate ventilation. Avoid generation of dust. Avoid breathing the dust. Wear appropriate protective equipment. Refer to OSHA's substance specific standards for additional work practice requirements.
<b>7.2 Storage</b>	Store in a dry location.

## SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

<b>8.1 Occupational exposure limits</b>		
<b>"Component"</b>	<b>OSHA PEL</b>	<b>ACGIH TLV</b>
Aluminum Oxide	15mg/m <sup>3</sup>	10mg/m <sup>3</sup>
Silicon Carbide	15mg/m <sup>3</sup>	10mg/m <sup>3</sup>
Limestone	15mg/m <sup>3</sup>	10mg/m <sup>3</sup>
Garnet	None established	None established
Zirconium Oxide	5mg/m <sup>3</sup>	3mg/m <sup>3</sup>
Alumina Zirconia	15mg/m <sup>3</sup>	10mg/m <sup>3</sup>
Barium Sulfate	5mg/m <sup>3</sup>	3mg/m <sup>3</sup>
Zirconium Alumina	15mg/m <sup>3</sup>	10mg/m <sup>3</sup>
Kaolin Clay	15mg/m <sup>3</sup>	10mg/m <sup>3</sup>
Calcium Stearate	None established	None established
Zinc Sulfate	10mg/m <sup>3</sup>	5mg/m <sup>3</sup>
Calcium Sulfate	15mg/m <sup>3</sup>	10mg/m <sup>3</sup>
Potassium Fluoroborate	2.5mg/m <sup>3</sup>	2.5mg/m <sup>3</sup>
Meg	None established	None established
Quartz Silica	0.050mg/m <sup>3</sup>	0.025mg/m <sup>3</sup>
Sodium Aluminum	2.5mg/m <sup>3</sup>	2.5mg/m <sup>3</sup>
Iron Oxide	10mg/m <sup>3</sup>	5mg/m <sup>3</sup>
Iron Oxide	15mg/m <sup>3</sup>	5mg/m <sup>3</sup>
Cryolite	2mg/m <sup>3</sup>	2.5mg/m <sup>3</sup>
Fluoride	None established	None established
Cured Resin	None established	None established

Cured Adhesive	None established	None established
Filler	None established	None established
Wax	None established	None established
Paper Backing	None established	None established

## 8.2 Personal protection requirements and referrals

<b>Respiratory protection</b>	As needed, use approved dust respiratory OSHA CRF 1910.134. Refer to Section 11.5 for additional respiratory/carcinogenetic information.
<b>Hand protection</b>	Wear appropriate gloves to minimize risk of injury to skin from contact with dust, or physical abrasion from grinding or sanding.
<b>Eye protection</b>	Ref. OSHA 29 CRF 1910.133 (Face and Eye Protection).
<b>Hearing protection</b>	As needed, Ref. OSHA 29 CRF 1910.125 (Hearing Protection).
<b>Body protection</b>	As needed.

## SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Appearance

<b>Form</b>	Solid
<b>Color</b>	Varies
<b>Odor</b>	No data available
<b>Odor threshold</b>	No data available
<b>pH value</b>	No data available
<b>Melting/freezing point</b>	No data available
<b>Initial boiling point</b>	No data available
<b>Flash point/range</b>	No data available
<b>Evaporation rate</b>	No data available
<b>Flammability</b>	No data available
<b>Explosion limits</b>	No data available
<b>Vapor pressure</b>	No data available
<b>Vapor density</b>	No data available
<b>Density</b>	No data available
<b>Solubility</b>	No data available
<b>Partition coefficient: n-octonal water</b>	No data available
<b>Auto-ignition temperature</b>	No data available
<b>Thermal decomposition</b>	No data available
<b>Additional information</b>	No data available

## SECTION 10 - STABILITY AND REACTIVITY

<b>10.1 Reactivity</b>	This product is not considered to be reactive under normal conditions.
<b>10.2 Chemical stability</b>	Stable.
<b>10.3 Possibility of hazardous reaction</b>	Not known.
<b>10.4 Conditions to avoid</b>	Not known.
<b>10.5 Incompatible materials</b>	Not known.
<b>10.6 Hazardous decompositions/products</b>	Not known.

Under normal usage, hazardous decomposition of products are not expected.

## SECTION 11 - TOXICOLOGICAL INFORMATION

- 11.1 Inhalation** Dust from grinding, sanding, or machining may cause irritation of the respiratory system. Signs or symptoms include cough, sneezing, nasal discharge, headache, hoarseness, nose pain, and throat pain.
- 11.2 Eye contact** Corneal abrasion, pain, redness, and tearing may be signs or symptoms from mechanical eye irritation. Dust created by grinding, sanding, or machining can also cause eye irritation.
- 11.3 Skin contact** Mechanical skin irritation. Signs or symptoms include abrasion, redness, pain, and itching.
- 11.4 Ingestion** No known health effects.
- 11.5 Carcinogenicity**

Ingredient	C.A.S. #	Class Description	Regulation
Quartz Silica	14808-60-7	Grp. 1: Carcinogenic to humans	International Agency for Research on Cancer
Quartz Silica	14808-60-7	Known human carcinogen	National Toxicology Program Carcinogens

Additional Information: This SDS is only covering ARC Abrasives products. For complete assessment, you must consider the material being abraded when determining the degree of hazard to decide if there is a need for respiratory protection. Select and use appropriate respirators to prevent inhalation overexposure.

This product contains a form of crystalline silica. Occupational exposure to inhaled crystalline silica has been associated with silicosis and lung cancer. During normal handling and use of this product, exposure to crystalline silica is not expected.

## SECTION 12 - ECOLOGICAL INFORMATION

- 12.1 Ecological information** It is not expected that this product is hazardous to the environment. Ecotoxicity data is not available for this product.

## SECTION 13 - DISPOSAL CONSIDERATIONS

- 13.1 Waste disposal method** Dispose of in accordance with all applicable local, state, and federal regulations. It is the responsibility of the waste generator to determine the toxicity and physical characteristics of the material to determine the proper waste identification and disposal in compliance with applicable regulations.

## SECTION 14 - TRANSPORT INFORMATION

- 14.1 Transportation information** This product is not regulated per the U.S. DOT, IATA, TDG, or IMO.

## SECTION 15 - REGULATORY INFORMATION

- 15.1 Hazard categories** None
- 15.2 Safety, health and environmental regulations for the substance** This product is and article as defined by TSCA (EPA US) regulations, and is exempt from TSCA inventory listing requirements.

## SECTION 16 - OTHER INFORMATION

- 16.1 Disclaimer/Statement of Liability** The information provided in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. This information, and the recommendations regarding the application and end use of this product, are given in good faith based on current knowledge and test data. ARC ABRASIVES makes no warranty with the respect to the accuracy of this information of the suitability of these recommendations, and assumes no liability to any user thereof. It is the users responsibility to determine if this product is fit for a particular purpose, and suitable for the user's method of use and/or application.
- 16.2 Date created** 10/15/2016
- 16.3 Revision number** 3
- 16.4 Revision date** 8/21/2018